

VALLECITOS WATER DISTRICT

GENERAL NOTES

(GRADING PLANS ONLY)

1. WATER LINES SHALL HAVE A MINIMUM COVER OF 36 INCHES. SEWER LINES SHALL HAVE A MINIMUM COVER OF 5 FEET.
2. CONTRACTOR SHALL NOTIFY THE FOLLOWING AGENCIES 48 HOURS PRIOR TO CONSTRUCTION. A VALID UNDERGROUND SERVICE ALERT TICKET SHALL BE ON FILE.

VALLECITOS WATER DISTRICT 1-760-744-0460
COX COMMUNICATION 1-800-227-2600
SDG&E 1-800-227-2600
PACIFIC BELL 1-800-227-2600
UNDERGROUND SERVICE ALERT 1-800-227-2600
3. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE LOCATION OF ALL SUBSTRUCTURES, WHETHER SHOWN ON THE PLANS OR NOT, AND PROTECT THEM FROM DAMAGE. THE ACTUAL LOCATION AND DEPTH OF ALL EXISTING WATER AND SEWER LINES IS TO BE VERIFIED BY THE CONTRACTOR AND ANY DISCREPANCY IS TO BE BROUGHT TO THE ATTENTION OF THE ENGINEER OF WORK FOR CORRECTION AND THEN SUBMITTED TO THE DISTRICT FOR APPROVAL.
4. NEITHER THE ENGINEER, OWNER NOR THE VALLECITOS WATER DISTRICT SHALL BE RESPONSIBLE FOR THE ENFORCEMENT OF SAFETY STANDARDS.
5. A PRECONSTRUCTION CONFERENCE MEETING SHALL BE HELD A MINIMUM OF THREE (3) WORKING DAYS PRIOR TO CONSTRUCTION.
6. A SIGNED SET OF PLANS DOES NOT IMPLY THAT CONSTRUCTION MAY BEGIN. THE CONTRACTOR MUST CONTACT THE VALLECITOS WATER DISTRICT ENGINEERING DEPARTMENT TO CONFIRM.
7. ALL WORK DONE IN OR NEAR VALLECITOS WATER DISTRICT FACILITIES SHALL BE DONE ACCORDING TO THE CURRENT STANDARD SPECIFICATIONS OF THE VALLECITOS WATER DISTRICT.
8. PRIOR TO CROSSING EXISTING WATER OR SEWER FACILITIES, CONTRACTOR SHALL SUBMIT EQUIPMENT SPECIFICATIONS, WEIGHT AND DEFLECTION CALCULATIONS FOR APPROVAL.
9. CONTRACTOR SHALL VERIFY AND REQUEST CONSTRUCTION WATER SOURCE AND AVAILABILITY PRIOR TO START OF GRADING.
10. STATE HEALTH DEPARTMENT REQUIRES CERTIFIED BACKFLOW DEVICES ON ALL HARD PLUMBED CONNECTIONS TO DISTRICT CONSTRUCTION METERS.
11. ACCESSING OR WORKING WITHIN VALLECITOS WATER DISTRICT EASEMENT REQUIRES INSPECTION.
12. DISTRICT SHALL ASSIGN AN INSPECTOR FOR GRADING JOBS WHERE DISTRICT FACILITIES ARE IMPACTED.
13. A BLASTING PLAN SHALL BE SUBMITTED FOR DISTRICT APPROVAL PRIOR TO THE USE OF EXPLOSIVES NEAR DISTRICT FACILITIES.